



## POE SPLITTER SERIES | 48V to 5V 2.4A Micro USB



### DATASHEET

<b>Product</b>	10/100Mbps 48V to 5V Micro USB PoE splitter	
<b>Model</b>	POE-48POE-5V2.4AM	
<b>PoE Power Supply</b>	Protocol	IEEE803.2af/at
	Power Supply	Compatible Mode A (End-Span) and Mode B (Mid-Span)
	Power Consumption	≤18W
	Input Voltage	PoE 36V-57V
	Output Voltage	Micro-USB 5V
	Output Ripple	<5%
	PoE Pin	1/2+, 3/6-
<b>Ethernet</b>	Ethernet Port	1×RJ45 Input
	Transmission Speed	10/100Mbps
	Transmission Medium	Cat5/5e/6 Standard Network Cable
	Transmission Distance	100m (Maximum)
<b>LED Status Indicator</b>	Input PoE Power Indicator	1 (POE IN Port RJ45 Yellow Light)
	Output DC Power Indicator	1 (Ethernet Port RJ45 Yellow Light)
<b>Protection</b>	ESD	1a Contact discharge Level 3 1b Air discharge Level 3 Per: IEC61000-4-2
	Lightning Protection	Power: 2KV Signal: 1KV Per: IEC61000-4-5
<b>Environmental</b>	Working Temperature	-40°C~75°C
	Storage Temperature	-40°C~85°C
	Humidity (non-condensing)	0~95%